

# High-Efficiency Leukoreduction Filters for the Hospital

Help protect patients from microaggregate and leukocyte-related transfusion complications with bedside/laboratory high-efficiency leukoreduction filter sets



# High-Efficiency Leukoreduction Filters for the Hospital

## Features and Benefits

- Clinically proven cost-effective technology<sup>1,2,5</sup>
- Automatic priming by gravity and no saline filter prime or flush required
- Patented filter media
- Reduce the role leukocytes play in mediating adverse reactions to transfusion<sup>3-6</sup>
- Enhanced ease-of-use
- Minimal filter hold-up volume with high product recovery

## Ordering Information\*

### FILTRATION AT THE HOSPITAL BEDSIDE

Leukoreduction by filtration may take place at the patient's bedside or in the hospital laboratory. Regardless of which method is selected, Haemonetics offers a broad array of products to meet your needs.



### Red Blood Cell Filter Sets

#### EZ Prime Self-Priming High-Efficiency Leukocyte Reduction Filter

Bedside filtration for one unit of packed red blood cells (RBC) or whole blood (WB)

Reorder Code	Set Configuration*	Pkg
RCEZ1T	Stand alone (no administration set attached)	20/case

#### RCQ High-Efficiency Rapid Flow Leukocyte Reduction Filter for Red Cell Transfusion

Bedside filtration for one unit of packed red blood cells (RBC) or whole blood (WB)

Reorder Code	Set Configuration*	Pkg
RCQT	Stand alone (no administration set attached)	20/case

### Platelet Filter Sets

#### PL High-Efficiency Leukocyte Reduction Filter for Platelet Transfusion

Bedside filtration for up to 6 WB-derived platelets or one single donor platelet (SDP) collection

Reorder Code	Set Configuration*	Pkg
PL6T	Stand alone (no administration set attached)	20/case

#### PXL™8 High-Efficiency Leukocyte Reduction Filter for Platelets

Bedside filtration for 3-8 WB-derived platelets or one single donor platelet (SDP) collection

Reorder Code	Set Configuration*	Pkg
PXL8C	Stand alone (no administration set attached)	20/case

### Plasma Filter Set

#### LPS High-Efficiency Leukocyte Reduction Filter for Plasma

Filtration of up to 1600 mL of fresh frozen plasma (FFP)

Reorder Code	Set Configuration*	Pkg
LPS2	Stand alone (no administration set attached)	20/case

\*All of these products are free of natural rubber latex.

## LOW VOLUME FILTER SETS



### Red Blood Cell Filter Set

#### NEO High-Efficiency Leukocyte Reduction Filter for Red Blood Cells

Filtration of an aliquot of up to 60 mL of packed red blood cells (RBC)

Reorder Code	Set Configuration*	Pkg
NE01	With attached 175 mL PVC Aliquot Bag with Needleless Injection Port	20/case

### Platelet Filter Sets

#### PL High-Efficiency Leukocyte Reduction Filter a Single Unit of Platelet Concentrate

Filtration of a single unit of platelet concentrate prepared from an individual unit of whole blood (WB)

Reorder Code	Set Configuration*	Pkg
PL1B	With attached 175 mL PVC Aliquot Bag with Needleless Injection Port	20/case

## FILTRATION IN THE HOSPITAL LABORATORY



### Red Blood Cell Filter Set

#### BPF High-Efficiency Leukocyte Reduction Filtration System

Laboratory filtration of one unit of packed red blood cells (RBC) or whole blood (WB)

Reorder Code	Set Configuration*	Pkg
BPFB	With attached blood storage bag and sample leg	20/case

### Platelet Filter Sets

#### LRF High-Efficiency Leukocyte Reduction Filtration System for Platelets

Laboratory filtration for a pool of up to 6 WB-derived platelets or one single donor platelet (SDP) collection

Reorder Code	Set Configuration*	Pkg
LRFP	With attached tubing and outlet connector	20/case

## References

1. Jensen LS, et al. Randomized comparison of leukocyte-depleted versus buffy-coat-poor blood transfusion and complications after colorectal surgery. *Lancet* 1996; 348: 841-845.
2. Jensen LS, et al. Cost-effectiveness of blood transfusion and white cell reduction in elective colorectal surgery. *Transfusion* 1995; 35: 719-722.
3. Blumberg N, et al. Leukodepleted-ABO-identical blood components in the treatment of hematological malignancies: A cost analysis. *American Journal of Hematology* 1995; 48: 108-115.
4. Oksane K, et al. Impact of leukocyte-depleted blood components on the hematological recovery and prognosis of patients with acute myeloid leukemia. *British Journal of Haematology* 1993; 84: 639-647.
5. Bowden RA, et al. A comparison of filtered leukocyte-reduced and cytomegalovirus (CMV) seronegative blood products for the prevention of transfusion-associated CMV infection after marrow transplant. *Blood* 1995; 86: 3598-3603.
6. U.S. Department of Health & Human Services, Blood Products Advisory Committee (BPAC) Meeting; 1997; #56.

## RxOnly

For a list of worldwide office locations and contact information, visit [www.haemonetics.com/officelocations](http://www.haemonetics.com/officelocations)

© 2011, 2013, 2016 Haemonetics Corporation. Haemonetics and PXL are trademarks or registered trademarks of Haemonetics Corporation in the USA, other countries, or both. All rights reserved. 09.2016 USA. COL-COPY-000532-US(AC)